

HARDWOOD DECKING & SIDING

PREMIUM DARK RED BALAU

SPECIFICATIONS

PREMIUM GRADE 100% HEARTWOOD

100% CLEAR, no visible defects

Graded on both faces and edges to allow

for desired face selection

DRYING All available dimensions are kiln dried and pre-stabilized

Kiln dried decking is superior in appearance, stability, surface quality and finish penetration

COLOR Rich, dark reddish-brown mahogany color range

When left unfinished weathers to a natural silver-gray patina

GRAIN Mixed fine to slightly coarse grain

FINISHING Regular cleaning brightening and refinishing

with exotic hardwood oil to maintain or restore

its natural color

USES Exterior architectural millwork included but not limited

to decking, cladding, rail, posts, trim, furniture

PRODUCT AVAILABILITY

NOMINAL SIZE	ACTUAL SIZE	PROFILES	LENGTHS
1 x 4 KD	11/16" x 3-1/2"	S4S	8' - 18' EVEN
5/4 x 4 KD	1" x 3-1/2"	S4S	8' - 18' EVEN
5/4 x 6 KD	1" x 5-1/2"	S4S	8' - 18' EVEN
5/4 x 6 KD	1" x 5-1/2"	GROOVED	8' - 18' EVEN
2 x 2 KD	1-1/2" x 1-1/2"	BALUSTER	3', 4', & 8'
2 x 4 KD	1-1/2" x 3-1/2"	S4S	8' - 18' EVEN
2 x 6 KD*	1-1/2" x 5-1/2"	S4S	8' - 18' EVEN
4 x 4 KD*	3-1/2" x 3-1/2"	S4S	8' - 12' EVEN

^{*} Product from a different region, color will be lighter shade of red Sold in random length tallies

Iron Woods Dark Red Balau is a beautiful and exceptionally durable hardwood specie that is preferred by deck builders for it's strength, extra hard density and high oil content. These superior properties make it ideal in withstanding extreme weather conditions. Dark Red Balau has superior durability and physical properties when compared to other species in the Mahogany/Meranti family of woods.

Iron Woods Dark Red Balau is a tropical species and native to Southeast Asia. It is highly resistant to shrinkage, splintering, checking, decay, rot and insect infestation.

